

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	364	710/7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:13
S2	699	710/20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:13
S3	359	710/21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:13
S4	2134	710/52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:13
S5	1348	710/62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:13
S6	4063	S1 or S2 or S3 or S4 or S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:13
S7	21	S6 and (combin\$5 or incorporat\$4 or add?????) near2 (plurality or multiple) near2 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:22
S8	57	(combin\$5 or incorporat\$4 or add?????) near2 (plurality or multiple) near2 data with (identification or ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:23

S9	57	S8 not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:51
S10	2	S9 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:24
S11	1710	data near2 id near3 (buffer\$4 or queu\$4 or memor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:52
S12	1273	data near2 id near3 (buffer\$4 or queu\$4 or memor\$4) near2 id	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:52
S13	382	(data near2 id near3 (buffer\$4 or queu\$4 or memor\$4) near2 id).ti, ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:53
S14	1	S13 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:53
S15	42	(data adj id near2 (buffer\$4 or queu\$4 or memor\$4)).ti,ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:54
S16	1897	data with (match\$3 or correspond\$3) with (identification or id) with (memor\$3 or queu\$3 or buffer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 13:48

S17	465	(data with (match\$3 or correspond\$3) with (identification or id) with (memor\$3 or queue\$3 or buffer\$3)).ti,ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 13:51
S18	3	S17 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 13:48
S19	12	(data near2 part\$2 with (match\$3 or correspond\$3) with (identification or id) with (memor\$3 or queue\$3 or buffer\$3)).ti,ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 13:50
S20	207	(data near2 (identification or id) with (match\$3 or correspond\$3) with (identification or id) with (memor\$3 or queue\$3 or buffer\$3)).ti,ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 13:52
S21	5417	autocorrelation	USPAT	OR	OFF	2005/03/31 15:48
S22	36	autocorrelation adj vector	USPAT	OR	OFF	2005/03/31 15:53
S23	0	autocorrelation adj vector with output adj port	USPAT	OR	OFF	2005/03/31 15:52
S24	1	S22 and "710"/\$.ccls.	USPAT	OR	OFF	2005/03/31 15:53
S25	2	"5941961".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 09:30
S26	2	"5359720".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 09:30
S27	79	hyper near transport	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:56

S28	1	hyper near transport near device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:02
S29	6	hyper near transport near3 device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:58
S30	13	S27 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:54
S31	66	S27 not S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:00
S32	12	hyper near3 transport near3 device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:30
S33	619	hyper near3 transport	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:30
S34	598	hyper near2 transport	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:30
S35	79	hyper near transport	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:32

S36	1	S35 and "20010712".AD.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:32
S37	1	S35 and "20010712".FD.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:32
S38	4716289	S27 @ad>="20010712"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:48
S39	1837652	S27 ("2001").py.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:43
S40	4716288	@ad>="20010712"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:48
S41	337	S40 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:49
S42	23	S41 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:49
S43	139353	(plurality or multiple) near3 (buffer or memory or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 09:20

S44	303	hypertransport	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:32
S45	25	S44 near device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:36
S46	7	S45 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:33
S47	18	S45 not S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:33
S48	9326416	S46 device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:36
S49	37	S44 near3 device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:36
S50	12	S49 not S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 16:31
S51	303	hypertransport	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:54

S52	37	S51 near3 device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:54
S53	0	S52 not @PY>"2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:56
S54	0	S52 not @PY>"1998"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:55
S55	27	S52 not @PY>"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:56
S56	6	S52 and @PY<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:57
S57	262	S51 and @PD>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:58
S58	41	S51 not S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:58
S59	0	hypertransport and @PD<"20010414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:59

S60	303	hypertransport and @PD>"20010414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:59
S61	281	hypertransport and @PD>"20030414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 16:00
S62	23	hypertransport and @PD<"20030414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 16:05
S63	70766	(packet or data) with (match or align)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 12:42
S64	38825	(packet or data) near3 (match or align)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 12:43
S65	17717	(packet or data) near (match or align)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 12:43
S66	67	S65 near3 (source near5 destination)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 12:46
S67	51	S66 not @AD>"20010712"	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 12:45
S68	3	S67 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 12:45
S69	26	S65 near3 (source with destination)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 12:49
S70	1	S69 with first with second	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 12:47
S71	18	S69 not @AD>"20010712"	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 13:01
S72	6	S69 same (plurality or multiple)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 12:50

S73	1	S69 with (plurality or multiple)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 12:50
S74	1503612	data or packet with (analysis)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 13:02
S75	254600	S74 with first with second	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 13:02
S76	131358	(data or packet) with (analysis)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 13:03
S77	190	S76 with (first with second) with (identification or address)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 13:03
S78	64	S77 not @AD>"20010712"	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 13:07
S79	0	S78 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 13:04
S80	2	S78 with (match or align)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 14:19
S81	0	S78 with "not" with (match or align)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 14:19
S82	0	S78 and "not" with (match or align)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 14:19
S83	0	S78 and "not" with (match or align or equal)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 14:19
S84	10362	autocorrelation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 16:23
S85	82	autocorrelation adj vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 16:23

S86	2	S85 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 17:10
S87	58	S85 not @AD>"20010712"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 16:24
S88	62993	"82".ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 16:24
S89	19	S85.ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 16:24
S90	0	compare near4 autocorrelation near vector with first with second with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 17:11
S91	1	compare near4 autocorrelation near vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 17:11
S92	13	S85 same (plurality or multiple)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 17:12
S93	1	S92 same data near stream	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 17:12

S94	4	S92 same data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 17:12
S95	14	("20030012187" "4677616" "4860357" "4926418" "5245609" "5687325" "5889776" "6058436" "6118788" "6247058" "6363077" "6483841" "6571321" "6574708").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/24 17:59
S96	0	compare with autocorrelation near3 vector	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/24 17:59
S97	8	compare with autocorrelation with vector	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/24 18:01
S98	18	compare with autocorrelation with first with second	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/24 18:10
S99	0	S98 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/24 18:02
S10 0	15	S98 not @AD>"20010712"	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/24 18:03
S10 1	5	S98 with data	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/24 18:10
S10 2	1	"6735766".pn.	USPAT	OR	OFF	2005/09/26 09:17
S10 3	1	"6697875".pn.	USPAT	OR	OFF	2005/09/26 13:02
S10 4	166	(compar or match) with autocorrelation	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 14:13
S10 5	1	S104 with shift	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 13:03
S10 6	11	S104 same shift	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 13:16
S10 7	2	S104 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 13:08
S10 8	131	compare with autocorrelation	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 13:17

S10 9	8	S108 same shift	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 14:10
S11 0	0	S108 same integer near shift	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 14:10
S11 1	0	S108 same integer near3 shift	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 14:10
S11 2	0	S108 and integer near3 shift	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 14:10
S11 3	0	S104 and integer near3 shift	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 14:10
S11 4	38	(compar or match) same autocorrelation same shift	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 14:18
S11 5	1	S114 same integer	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 14:13
S11 6	0	S114 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 14:16
S11 7	1	autocorrelation with integer near3 shift	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 14:18
S11 8	3	("4152649" "5450456" "6091932").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/26 14:18
S11 9	3	("6438173").URPN.	USPAT	OR	OFF	2005/09/26 14:19